


CLAIMS

1. A polypeptide compound of the following general formula :



- wherein R¹ is lower alkanoyl substituted with
- unsaturated 6-membered heteromonocyclic group containing at least one nitrogen atom which may have one or more suitable substituent(s);
 - lower alkanoyl substituted with 1,2,3,4-tetrahydroisoquinoline which may have one or more suitable substituent(s);
 - lower alkanoyl substituted with unsaturated condensed heterocyclic group containing at least one oxygen atom which may have one or more suitable substituent(s);
 - lower alkanoyl substituted with unsaturated condensed heterocyclic group containing 1 to 3 sulfur atom(s)

BEST AVAILABLE COPY

09248267 024400

Sub
at

which may have one or more suitable substituent(s);

→ lower alkanoyl substituted with unsaturated condensed heterocyclic group containing 2 or more nitrogen atom(s) which may have one or more suitable substituent(s);

lower alkanoyl substituted with saturated 3 to 8 membered heteromonocyclic group containing at least one nitrogen atom which may have one or more suitable substituent(s);

ar(lower)alkenoyl substituted with aryl which may have one or more suitable substituent(s);

naphthyl(lower)alkenoyl which may have one or more higher alkoxy;

lower alkynoyl which may have one or more suitable substituent(s);

(C₂-C₆)alkanoyl substituted with naphthyl having higher alkoxy;

ar(C₂-C₆)alkanoyl substituted with aryl having one or more suitable substituent(s), in which ar(C₂-C₆)-alkanoyl may have one or more suitable substituent(s);

aroyl substituted with heterocyclic group which may have one or more suitable substituent(s), in which aroyl may have one or more suitable substituent(s);

aroyl substituted with aryl having heterocyclic(higher)alkoxy, in which heterocyclic group may have one or more suitable substituent(s);

041937 031199 001120 03281250

Sub
a.
cont

5

10

15

20

25

30

35

aroyl substituted with aryl having
lower alkoxy(higher)alkoxy;

aroyl substituted with aryl having
lower alkenyl(lower)alkoxy;

5 aroyl substituted with 2 lower
alkoxy;

aroyl substituted with aryl having
lower alkyl;

10 aroyl substituted with aryl having
higher alkyl;

aryloxy(lower)alkanoyl which may have
one or more suitable substituent(s);

15 ar(lower)alkoxy(lower)alkanoyl which
may have one or more suitable
substituent(s);

arylamino(lower)alkanoyl which may
have one or more suitable
substituent(s);

20 lower alkanoyl substituted with
pyrazolyl which has lower alkyl and
aryl having higher alkoxy;

lower alkoxy(higher)alkanoyl, in
which higher alkanoyl may have one or
more suitable substituent(s);

25 aroyl substituted with aryl having
heterocyclicoxy, in which
heterocyclicoxy may have one or more
suitable substituent(s);

30 aroyl substituted with
cyclo(lower)alkyl having lower alkyl;
indolylcarbonyl having higher alkyl;

naphthoyl having lower alkyl;

naphthoyl having higher alkyl;

35 naphthoyl having lower
alkoxy(higher)alkoxy;

004420 29287200

Sub
At
Cont.

aroyl substituted with aryl having
lower alkoxy(lower)alkoxy(higher)-
alkoxy;

5

aroyl substituted with aryl having
lower alkoxy(lower)alkoxy;

aroyl substituted with aryl which has
aryl having lower alkoxy;

aroyl substituted with aryl which has
aryl having lower alkoxy(lower)alkoxy;

10

aroyl substituted with aryl having
heterocyclicoxy(higher)alkoxy;

aroyl substituted with aryl having
aryloxy(lower)alkoxy;

15

aroyl substituted with aryl having
heterocycliccarbonyl(higher)alkoxy;

lower alkanoyl substituted with
oxazolyl which has aryl having higher
alkoxy;

20

lower alkanoyl substituted with furyl
which has aryl substituted with aryl
having lower alkoxy;

lower alkanoyl substituted with
triazolyl which has oxo and aryl having
higher alkyl;

25

higher alkanoyl having hydroxy;

higher alkanoyl having ar(lower)alkyl
and hydroxy;

3-methyl-tridecenoyl; or

30

(C₂-C₆)alkanoyl substituted with aryl
having higher alkoxy, in which (C₂-C₆)-
alkanoyl may have amino or protected
amino, and

a pharmaceutically acceptable salt thereof.

35

2. A compound of claim 1, wherein

004867 04490

Sub
Al
INT

Sub 20
a2

25

30

5

naphthyl having lower alkoxy, naphthyl having higher alkoxy, phenyl having lower alkyl, phenyl having higher alkyl, naphthoyl having higher alkoxy, phenyl substituted with phenyl having lower alkyl, unsaturated 6-membered heteromonocyclic group containing at least one nitrogen atom which may have higher alkoxy, and oxo;

10

lower alkanoyl substituted with unsaturated condensed heterocyclic group containing 1 to 3 sulfur atom(s) which may have 1 to 3 substituent(s) selected from the group consisting of lower alkoxy, higher alkoxy, lower alkyl, higher alkyl, higher alkoxy(lower)alkyl, phenyl having lower alkoxy, phenyl having higher alkoxy, naphthyl having lower alkoxy, naphthyl having higher alkoxy, phenyl having lower alkyl, phenyl having higher alkyl, naphthoyl having higher alkoxy, phenyl substituted with phenyl having lower alkyl, and oxo;

15

20

lower alkanoyl substituted with unsaturated condensed heterocyclic group containing 2 or more nitrogen atoms which may have 1 to 3 substituent(s) selected from the group containing of lower alkoxy, higher alkoxy, lower alkyl, higher alkyl, higher alkoxy(lower)alkyl, phenyl having lower alkoxy, phenyl having higher alkoxy, naphthyl having lower alkoxy, naphthyl having higher alkoxy, phenyl having lower alkyl, phenyl having higher alkyl, naphthoyl having higher alkoxy, phenyl substituted with phenyl having lower alkyl, and oxo; or

25

30

35

lower alkanoyl substituted with saturated 3 to 8-membered heteromonocyclic group containing at least one nitrogen atom which may have 1 to 3

66486-24199

Sub
A
cont

substituent(s) selected from the group consisting of lower alkoxy, higher alkoxy, lower alkyl, higher alkyl, higher alkoxy(lower)alkyl, phenyl having lower alkoxy, phenyl having higher alkoxy, naphthyl having lower alkoxy, naphthyl having higher alkoxy, phenyl having lower alkyl, phenyl having higher alkyl, naphthoyl having higher alkoxy, phenyl substituted with phenyl having lower alkyl, and oxo.

10

3. A compound of claim 1, wherein

R^1 is ar(lower)alkenoyl substituted with aryl which may have 1 to 3 substituent(s) selected from the group consisting of lower alkoxy, higher alkoxy, lower alkyl, higher alkyl, higher alkoxy(lower)alkyl, phenyl having lower alkoxy, phenyl having higher alkoxy, naphthyl having lower alkoxy, naphthyl having higher alkoxy, phenyl having lower alkyl, phenyl having higher alkyl, naphthoyl having higher alkoxy, phenyl substituted with phenyl having lower alkyl, lower alkoxy(lower)alkyl, halo(lower)alkoxy, lower alkenyloxy, halo(higher)alkoxy, lower alkoxy(higher)alkoxy, and oxo;

15

20

25

naphthyl(lower)alkenoyl which may have 1 to 3 higher alkoxy;

lower alkynoyl which may have 1 to 3 substituent(s) selected from the group consisting of lower alkoxy, higher alkoxy, lower alkyl, higher alkyl, higher alkoxy(lower)alkyl, phenyl having lower alkoxy, phenyl having higher alkoxy, naphthyl having lower alkoxy, naphthyl having higher alkoxy, phenyl having lower alkyl, phenyl having higher alkyl, naphthoyl having higher alkoxy, phenyl substituted with phenyl having

30

35

lower alkyl, and oxo;

ar(C₂-C₆)alkanoyl substituted with aryl having 1 to 3 substituent(s) selected from the group consisting of lower alkoxy, higher alkoxy, lower alkyl, higher alkyl, higher alkoxy(lower)alkyl, phenyl having lower alkoxy, phenyl having higher alkoxy, naphthyl having lower alkoxy, naphthyl having higher alkoxy, phenyl having lower alkyl, phenyl having higher alkyl, naphthoyl having higher alkoxy, phenyl substituted with phenyl having lower alkyl, phenyl having lower alkoxy(lower)alkoxy, and oxo, in which ar(C₂-C₆)-alkanoyl may have hydroxy, oxo, protected amino or amino; or

(C₂-C₆)alkanoyl substituted with naphthyl having higher alkoxy.

4. A compound of claim 1, wherein

R¹ is aroyl substituted with heterocyclic group which may have 1 to 3 substituent(s) selected from the group consisting of lower alkoxy, higher alkoxy, lower alkyl, higher alkyl, higher alkoxy(lower)alkyl, phenyl having lower alkoxy, phenyl having higher alkoxy, naphthyl having lower alkoxy, naphthyl having higher alkoxy, phenyl having lower alkyl, phenyl having higher alkyl, naphthoyl having higher alkoxy, phenyl substituted with phenyl having lower alkyl, phenyl having lower alkoxy(higher)alkoxy, phenyl having higher alkenyloxy, heterocyclic group substituted with phenyl having lower alkoxy, heterocyclic group, cyclo(lower)alkyl having phenyl, phenyl having cyclo(lower)alkyl, phenyl substituted with heterocyclic group having lower alkyl and oxo, cyclo(lower)alkyl having lower alkyl, phenyl

substituted with phenyl having lower alkoxy,
phenyl having heterocyclic group and oxo, in which
aroyl may have halogen;

aroyl substituted with aryl having
heterocyclic(higher)alkoxy, in which heterocyclic
group may have lower alkyl;

aroyl substituted with aryl having lower
alkoxy(higher)alkoxy;

aroyl substituted with aryl having lower
alkenyl(lower)alkoxy;

aroyl substituted with 2 lower alkoxy;

aroyl substituted with aryl having lower alkyl;

or

aroyl substituted with aryl having higher alkyl.

5. A compound of claim 1, wherein

R^1 is aryloxy(lower)alkanoyl which may have 1 to 3
substituent(s) selected from the group consisting
of lower alkoxy, higher alkoxy, lower alkyl,
higher alkyl, higher alkoxy(lower)alkyl, phenyl
having lower alkoxy, phenyl having higher alkoxy,
naphthyl having lower alkoxy, naphthyl having
higher alkoxy, phenyl having lower alkyl, phenyl
having higher alkyl, naphthoyl having higher
alkoxy, phenyl substituted with phenyl having
lower alkyl, and oxo;

ar(lower)alkoxy(lower)alkanoyl which may have 1
to 3 substituent(s) selected from the group
consisting of lower alkoxy, higher alkoxy, lower
alkyl, higher alkyl, higher alkoxy(lower)alkyl,
phenyl having lower alkoxy, phenyl having higher
alkoxy, naphthyl having lower alkoxy, naphthyl
having higher alkoxy, phenyl having lower alkyl,
phenyl having higher alkyl, naphthoyl having
higher alkoxy, phenyl substituted with phenyl

00448257 00448257

See
a2
cont

having lower alkyl, and oxo; or

arylamino(lower)alkanoyl which may have 1 to 3
substituent(s) selected from the group consisting
of lower alkoxy, higher alkoxy, lower alkyl,
higher alkyl, higher alkoxy(lower)alkyl, phenyl
having lower alkoxy, phenyl having higher alkoxy,
naphthyl having lower alkoxy, naphthyl having
higher alkoxy, phenyl having lower alkyl, phenyl
having higher alkyl, naphthoyl having higher
alkoxy, phenyl substituted with phenyl having
lower alkyl, and oxo.

6. A compound of claim 1, wherein

R^1 is lower alkanoyl substituted with pyrazolyl which

has lower alkyl and aryl having higher alkoxy;

lower alkoxy(higher)alkanoyl, in which higher
alkanoyl may have amino or protected amino;

aroyl substituted with aryl having
heterocyclicoxy, in which heterocyclicoxy may have
phenyl;

aroyl substituted with cyclo(lower)alkyl having
lower alkyl;

indolylcarbonyl having higher alkyl;

naphthoyl having lower alkyl;

naphthoyl having higher alkyl;

naphthoyl having lower alkoxy(higher)alkoxy;

aroyl substituted with aryl having lower
alkoxy(lower)alkoxy(higher)alkoxy;

aroyl substituted with aryl having lower
alkoxy(lower)alkoxy;

aroyl substituted with aryl which has phenyl
having lower alkoxy;

aroyl substituted with aryl which has phenyl
having lower alkoxy(lower)alkoxy;

aroyl substituted with aryl having

000000 000000 000000

Sub
a2
ant

heterocyclicoxy(higher)alkoxy;

aroyl substituted with aryl having
phenoxy(lower)alkoxy;

5

aroyl substituted with aryl having
heterocycliccarbonyl(higher)alkoxy;

lower alkanoyl substituted with oxazolyl which
has aryl having higher alkoxy;

10

lower alkanoyl substituted with furyl which has
aryl substituted with phenyl having lower alkoxy;

lower alkanoyl substituted with triazolyl which
has oxo and phenyl having higher alkyl;

higher alkanoyl having hydroxy;

higher alkanoyl having benzyl and hydroxy;

3-methyl-tridecenoyl; or

15

(C₂-C₆)alkanoyl substituted with aryl having
higher alkoxy, in which (C₂-C₆)alkanoyl may have
amino or protected amino.

7. A compound of claim 2, wherein

20

R¹ is lower alkanoyl substituted with pyridyl or
pyridazinyl, each of which may have 1 to 3
substituent(s) selected from the group consisting
of higher alkoxy, higher alkoxy(lower)alkyl,
phenyl having higher alkoxy, phenyl substituted
with phenyl having lower alkoxy, piperazinyl
substituted with phenyl having higher alkoxy,
piperazinyl substituted with phenyl having lower
alkoxy(higher)alkoxy, and piperazinyl substituted
with phenyl having lower alkoxy;

25

30

lower alkanoyl substituted with 1,2,3,4-
tetrahydroisoquinoline having higher alkoxy and
lower alkoxy carbonyl;

35

lower alkanoyl substituted with coumarin which
may have 1 to 3 substituent(s) selected from the
group consisting of higher alkoxy, and oxo;

00440 2387200

put
a 2
cont

lower alkanoyl substituted with benzothiophenyl which may have 1 to 3 higher alkoxy;

lower alkanoyl substituted with benzo[b]furanyl which may have 1 to 3 substituent(s) selected from the group consisting of higher alkoxy and lower alkyl;

lower alkanoyl substituted with benzooxazolyl which may have 1 to 3 substituent(s) selected from the group consisting of higher alkyl, phenyl having lower alkoxy, phenyl substituted with phenyl having lower alkyl, and pyridyl having higher alkoxy;

lower alkanoyl substituted with benzimidazolyl which may have 1 to 3 substituent(s) selected from the group consisting of higher alkyl, and phenyl having lower alkoxy; or

lower alkanoyl substituted with piperidyl or piperazinyl, each of which may have 1 to 3 substituent(s) selected from the group consisting of phenyl having higher alkoxy, and naphthoyl having higher alkoxy.

8. A compound of claim 3, wherein

R^1 is phenyl(lower)alkenoyl substituted with phenyl which may have 1 to 3 substituent(s) selected from the group consisting of lower alkoxy, lower alkyl, higher alkyl, lower alkoxy(lower)alkyl, halo(lower)alkoxy, lower alkenyloxy, halo(higher)alkoxy, and lower alkoxy(higher)alkoxy;

naphthyl(lower)alkenoyl which may have 1 to 3 higher alkoxy;

lower alkynoyl which may have 1 to 3 substituent(s) selected from the group consisting of naphthyl having higher alkoxy, and phenyl

substituted with phenyl having lower alkyl;

phenyl(C₂-C₆)alkanoyl substituted with phenyl
which has 1 to 3 substituent(s) selected from the
group consisting of lower alkoxy, higher alkoxy,
5 lower alkyl, higher alkyl, and phenyl having lower
alkoxy(lower)alkyl,

in which phenyl(C₂-C₆)alkanoyl may have hydroxy,
oxo, protected amino or amino; or

(C₂-C₆)alkanoyl substituted with naphthyl having
10 higher alkoxy.

9. A compound of claim 4, wherein

R¹ is benzoyl substituted with saturated 6-membered
heteromonocyclic group containing at least one
15 nitrogen atom which may have 1 to 3 substituent(s)
selected from the group consisting of phenyl
having lower alkoxy, phenyl having higher alkoxy,
phenyl having lower alkyl, phenyl having lower
alkoxy(higher)alkoxy, phenyl having higher
20 alkenyloxy, piperidyl substituted with phenyl
having lower alkoxy, piperidyl, cyclo(lower)alkyl
having phenyl, phenyl having cyclo(lower)alkyl,
and phenyl substituted with triazolyl having oxo
and lower alkyl,

in which benzoyl may have halogen;

benzoyl substituted with unsaturated 5-membered
heteromonocyclic group containing 1 to 2 oxygen
atom(s) and 1 to 3 nitrogen atom(s) which may have
1 to 3 substituent(s) selected from the group
30 consisting of higher alkyl, phenyl having lower
alkoxy, phenyl having higher alkoxy, phenyl having
lower alkoxy(higher)alkoxy, and phenyl substituted
with phenyl having lower alkoxy;

benzoyl substituted with 5 or 6-membered
35 heteromonocyclic group containing 1 or 2 nitrogen

66720-292860

Sub
a 3

atom(s) which may have 1 to 3 substituent(s) selected from the group consisting of higher alkyl and phenyl having lower alkoxy;

5 benzoyl substituted with 5-membered heteromonocyclic group containing 1 to 2 nitrogen atom(s) and 1 to 2 sulfur atom(s) which may have 1 to 3 substituent(s) selected from the group consisting of phenyl having lower alkoxy, phenyl having higher alkoxy, cyclo(lower)alkyl having lower alkyl, phenyl substituted with phenyl having lower alkoxy, phenyl having cyclo(lower)alkyl, phenyl having piperidine, and phenyl having lower alkoxy(higher)alkoxy;

15 benzoyl substituted with phenyl having higher alkoxy substituted with unsaturated 3 to 8-membered heteromonocyclic group containing at least one nitrogen atom;

20 benzoyl substituted with phenyl having higher alkoxy substituted with saturated 6-membered heteromonocyclic group containing 1 to 2 oxygen atom(s) and 1 to 3 nitrogen atom(s) which may have lower alkyl;

benzoyl substituted with phenyl having lower alkoxy(higher)alkoxy;

benzoyl substituted with phenyl having lower alkenyl(lower)alkoxy;

benzoyl substituted with 2 lower alkoxy;

benzoyl substituted with phenyl having lower alkyl; or

30 benzoyl substituted with phenyl having higher alkyl.

10. A compound of claim 5, wherein

35 R^1 is phenyloxy(lower)alkanoyl which may have 1 to 3 higher alkoxy;

00720 29287360

Sub
a3

Sub
a3
cont

phenyl(lower)alkoxy(lower)alkanoyl which may have 1 to 3 higher alkoxy; or
phenylamino(lower)alkanoyl which may have 1 to 3 higher alkoxy.

5

11. A compound of claim 1, wherein

R¹ is benzoyl substituted with piperazinyl which may have 1 to 3 substituent(s) selected from the group consisting of phenyl having lower alkoxy, phenyl having higher alkoxy, phenyl having lower alkyl, phenyl having lower alkoxy(higher)alkoxy, phenyl having higher alkenyloxy, piperidyl substituted with phenyl having lower alkoxy, cyclo(lower)alkyl having phenyl, phenyl having cyclo(lower)alkyl, and phenyl substituted with triazolyl having oxo and lower alkyl, in which benzoyl may have halogen;

benzoyl substituted with isoxazolyl which may have 1 to 3 substituent(s) selected from the group consisting of higher alkyl, ~~phenyl having lower alkoxy~~, phenyl having higher alkoxy, phenyl having lower alkoxy(higher)alkoxy, and phenyl substituted with phenyl having lower alkoxy;

benzoyl substituted with phenyl having lower alkoxy(higher)alkoxy;

benzoyl substituted with phenyl having lower alkyl;

benzoyl substituted with phenyl having higher alkyl;

phenyl(lower)alkenoyl substituted with phenyl which may have 1 to 3 substituent(s) selected from the group consisting of lower alkoxy, lower alkyl, higher alkyl, lower alkoxy(lower)alkyl, halo(lower)alkoxy, lower alkenyloxy, halo(higher)alkoxy and lower alkoxy(higher)alkoxy;

255

benzoyl substituted with thiadiazolyl which may have 1 to 3 substituent(s) selected from the group consisting of phenyl having lower alkoxy, phenyl having higher alkoxy, cyclo(lower)alkyl having lower alkyl, phenyl substituted with phenyl having lower alkoxy, phenyl having cyclo(lower)alkyl, phenyl having piperidyl, and phenyl having lower alkoxy(higher)alkoxy; or

benzoyl substituted with oxadiazolyl which may have 1 to 3 substituent(s) selected from the group consisting of phenyl having lower alkoxy, phenyl having higher alkoxy, phenyl having lower alkoxy(higher)alkoxy, higher alkyl and phenyl substituted with phenyl having lower alkoxy.

12. A compound of claim 11, wherein

R^1 is benzoyl substituted with phenyl having lower alkoxy(higher)alkoxy; or

benzoyl substituted with phenyl having lower alkyl.

13. A compound of claim 11, wherein

R^1 is benzoyl substituted with piperazinyl which may have phenyl having lower alkoxy;

benzoyl substituted with isoxazolyl which may have phenyl having lower alkoxy;

benzoyl substituted with thiadiazolyl which may have phenyl having lower alkoxy(higher)alkoxy; or


benzoyl substituted with oxadiazolyl which may have phenyl having lower alkoxy.

14. A compound of claim 11, wherein

R^1 is phenyl(lower)alkenoyl substituted with phenyl which may have lower alkoxy.

Sol
A4

15. A process for the preparation of a polypeptide compound of the formula [I] :



wherein

R^1 is lower alkanoyl substituted with unsaturated 6-membered heteromonocyclic group containing at least one nitrogen atom which may have one or more suitable substituent(s);

lower alkanoyl substituted with 1,2,3,4-tetrahydro-isoquinoline having higher alkoxy;

lower alkanoyl substituted with unsaturated condensed heterocyclic group containing at least one oxygen atom which may have one or more suitable substituent(s);

lower alkanoyl substituted with unsaturated condensed heterocyclic group containing 1 to 3 sulfur atom(s) which may have one or more suitable substituent(s);

lower alkanoyl substituted with unsaturated condensed heterocyclic group containing 2 or more nitrogen atom(s) which may have one or more suitable substituent(s);

00760 298460

*Sub
A5*

5

10

15

20

25

30

35

ar(lower)alkoxy(lower)alkanoyl which may have one or more suitable substituent(s);

arylamino(lower)alkanoyl which may have one or more suitable substituent(s);

lower alkanoyl substituted with pyrazolyl which has lower alkyl and aryl having higher alkoxy;

5 lower alkoxy(higher)alkanoyl, in which higher alkanoyl may have one or more suitable substituent(s);

10 aroyl substituted with aryl having heterocyclicoxy, in which heterocyclicoxy may have one or more suitable substituent(s);

aroyl substituted with cyclo(lower)alkyl having lower alkyl;

indolylcarbonyl having higher alkyl;

naphthoyl having lower alkyl;

15 naphthoyl having higher alkyl;

naphthoyl having lower alkoxy(higher)alkoxy;

aroyl substituted with aryl having lower alkoxy(lower)alkoxy(higher)alkoxy;

20 aroyl substituted with aryl having lower alkoxy(lower)alkoxy;

aroyl substituted with aryl which has aryl having lower alkoxy;

aroyl substituted with aryl which has aryl having lower alkoxy(lower)alkoxy;

25 aroyl substituted with aryl having heterocyclicoxy(higher)alkoxy;

aroyl substituted with aryl having aryloxy(lower)alkoxy;

30 aroyl substituted with aryl having heterocycliccarbonyl(higher)alkoxy;

lower alkanoyl substituted with oxazolyl which has aryl having higher alkoxy;

lower alkanoyl substituted with furyl which has aryl substituted with aryl having lower alkoxy;

35 lower alkanoyl substituted with triazolyl which

00720 29234360


Sub
25
ent

has oxo and aryl having higher alkyl;
higher alkanoyl having hydroxy;
higher alkanoyl having ar(lower)alkyl and
hydroxy;

3-methyl-tridecenoyl; or

(C₂-C₆)alkanoyl substituted with aryl having
higher alkoxy, in which (C₂-C₆)alkanoyl may have
amino or protected amino, and
a pharmaceutically acceptable salt thereof,
which comprises

- 1) reacting a compound of the formula :




or its reactive derivative at the amino group or a salt
thereof, with a compound of the formula :



[III]

wherein R¹ is defined above,

or its reactive derivative at the carboxy group or a
salt thereof, to give a compound [I] of the formula :



wherein R^1 is defined above,
or a salt thereof.

5

16. A pharmaceutical composition which comprises, as an active ingredient, a compound of claim 1 or a pharmaceutically acceptable salt thereof in admixture with pharmaceutically acceptable carriers or excipients.

10

17. Use of a compound of claim 1 or a pharmaceutically acceptable salt thereof as a medicament.

18. A compound of claim 1 or a pharmaceutically acceptable salt thereof for use as a medicament.

19. A method for the prophylactic and/or the therapeutic treatment of infectious diseases caused by pathogenic microorganisms which comprises administering a compound of claim 1 or a pharmaceutically acceptable salt thereof to a human being or an animal.

20

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS

☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

☐ FADED TEXT OR DRAWING

☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING

☐ SKEWED/SLANTED IMAGES

☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS

☐ GRAY SCALE DOCUMENTS

☐ LINES OR MARKS ON ORIGINAL DOCUMENT

☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.